


**SAFETY DATA SHEET**

**Section 1 - Identification**

<b>Product Identifier</b>	RESTORE-IT Marble Polishing Cream
<b>Other means of identification</b>	2502
<b>Recommended use</b>	Cream paste cleaner.
<b>Recommended restrictions</b>	For commercial and industrial use only.
<b>Manufacturer / Importer / Supplier / Distributor Information</b>	
<b>Company Name</b>	National Chemical Laboratories of PA, Inc.
<b>Address</b>	401 N. 10th Street - Philadelphia, PA 19123
<b>Telephone</b>	1 (215) 922-1200
<b>Supplier Email</b>	info@nclonline.com
<b>Contact</b>	CHEM-TEL
<b>Emergency Phone</b>	1 (800) 255-3924

**Section 2 - Hazard(s) Identification**

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

	<b>Classification</b>	<b>Category</b>	
<b>Physical Hazards</b>	Not Classified		
<b>Health Hazards</b>	Serious eye damage/eye irritation	1	
	Skin corrosion/irritation	1	
	Specific target organ toxicity, single exposure	3	TARGET ORGAN: respiratory tract irritation
<b>OSHA defined hazards</b>	Not Classified.		
<b>Label Elements</b>			
<b>Hazard Symbol</b>			
<b>Signal Word</b>	Danger		
<b>Hazard Statement</b>	Causes severe skin burns and eye damage. May cause respiratory irritation.		
<b>Precautionary statement</b>			
<b>Prevention</b>	Do not breathe dust or mist. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area.		
<b>Response</b>	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
<b>Storage</b>	Store in a well-ventilated place. Keep container tightly closed. Store locked up.		
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.		
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.		

**Section 3 - Composition/Information on ingredients**

<b>Mixture</b>			
<b>Hazardous Components</b>	<b>Ingredient Name</b>	<b>CAS #</b>	<b>%</b>
	Oxalic Acid	6153-56-6	5 - 10

**Section 4 - First-aid Measures**

<b>Inhalation</b>	If respiratory irritation or distress occurs, remove victim to fresh air. If breathing is difficult, give oxygen. If breathing stops, apply artificial respiration. CONSULT A PHYSICIAN.
<b>Skin contact</b>	Remove contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if irritation persists. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Check and remove contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.
<b>Ingestion</b>	Rinse mouth thoroughly with water. DO NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give

# SAFETY DATA SHEET

anything by mouth to an unconscious person. If vomiting occurs, keep head lower than the hips to help prevent aspiration. Call a physician or poison control center immediately.

**Most Important symptoms /effects, acute and delayed**

Causes skin and eye burns.

**Indication of immediate medical attention and special treatment**

Treat symptomatically.

**General Information**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## Section 5 - Fire-fighting measures

**Suitable extinguishing media**

Carbon dioxide, alcohol-resistant foam, dry chemical, water spray, or water fog.

**Unsuitable extinguishing media**

Not available.

**Specific hazards arising from the chemical**

None known.

**Special protective equipment and precautions for firefighters**

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Fire-fighting equipment /instructions**

Move containers from fire area if you can do it without risk. Use water spray to keep fire-exposed containers cool.

**General fire hazards**

This product is not flammable or combustible.

## Section 6 - Accidental release measures

**Personal precautions, protective equipment and emergency procedures.**

Isolate area. Keep unnecessary personnel away. Use personal protection as recommended in Section 8 of the SDS.

**Methods and materials for containment and cleaning up**

SMALL SPILLAGE: Absorb spillage with suitable absorbent material. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water.  
LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water.

**Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

## Section 7 - Handling and storage

**Precautions for safe handling**

Do not get in eyes, on skin, or on clothing. Do not breathe mist or vapor. Do not taste or swallow. Use with adequate ventilation. Wash thoroughly after handling. Use Personal Protective Equipment recommended in section 8 of the SDS.

**Conditions for safe storage, including any incompatibilities**

Store away from incompatible materials. Keep container closed.

## Section 8 - Exposure control/personal protection

**Occupational exposure limits**

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value
Oxalic Acid (CAS 6153-56-6)	TWA	1 mg/m <sup>3</sup>

**US. ACGIH Threshold Limit Values**

Component	Type	Value
Oxalic Acid (CAS 6153-56-6)	STEL	2 mg/m <sup>3</sup>
Oxalic Acid (CAS 6153-56-6)	TWA	1 mg/m <sup>3</sup>

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value
Oxalic Acid (CAS 6153-56-6)	TWA	1 mg/m <sup>3</sup>
Oxalic Acid (CAS 6153-56-6)	STEL	2 mg/m <sup>3</sup>

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines**

Use personal protective equipment as required. Keep working clothes separately.

**Appropriate engineering controls**

Provide adequate ventilation and minimize the risk of inhalation of vapors and mists. Provide easy access to water supply and eye wash facilities.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear approved chemical safety goggles.

**Skin protection**

**Hand protection** Wear chemical-resistant, impervious gloves. Suitable gloves can be recommended by the glove supplier.

**Other** Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

**Respiratory protection**

Use a respirator when local exhaust or ventilation is not adequate to keep exposures below the OEL. In a confined space a supplied respirator may be required.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# SAFETY DATA SHEET

## Section 9 - Physical and chemical properties

Appearance	Opaque.
Physical state	Liquid.
Form	Fluid suspension.
Color	White.
Odor	Mildly acidic.
Odor threshold	Not available.
pH	0.7
Melting point/freezing point	Not available.
Initial boiling point and boiling range	212 °F (100 °C)
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
<b>Upper/lower flammability or explosive limits</b>	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Similar to water.
Relative density	1.30 ± 0.01
Relative density temperature	75 °F (23.89 °C)
Solubilities	Soluble
Partition Coefficient n-octanol/water	Not available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	Thixotropic
Viscosity Temperature	75 °F (23.89 °C)

## Section 10 - Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Strong oxidizing agents.
Hazardous Decomposition Products	Carbon monoxide. Carbon dioxide.

## Section 11 - Toxicological information

### Information on likely routes of exposure

Ingestion	May cause burns of the gastrointestinal tract if swallowed.
Inhalation	Irritating to respiratory system.
Skin contact	Causes skin burns.
Eye contact	Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Causes skin and eye burns. Symptoms may be delayed.

### Information on toxicological effects.

Acute toxicity May cause burns.

Components	Level	Type	Code	Species	Results
Oxalic Acid (CAS 6153-56-6)	Acute	Oral	LDL0	Dog	1000 mg/kg

Skin corrosion/irritation	Causes skin burns.
Serious eye damage/ eye irritation	Causes serious eye damage.
Respiratory sensitization	Not classified.
Skin sensitization	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not available.
Reproductive toxicity	Not classified.

# SAFETY DATA SHEET

Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not classified.
Chronic effects	Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

## Section 12 - Ecological Information

Ecotoxicity	Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.		
Component(s)	Oxalic Acid, 6153-56-6		
Aquatic			
Acute	Crustacea	EC50	Water flea (Daphnia magna) 125 - 150 mg/l, 48 hours
Persistence and degradability	The product is expected to be biodegradable.		
Bioaccumulative potential	Not known.		
Mobility in soil	Not available.		
Mobility in general	The product is water soluble and may spread in water systems.		
Other adverse effects	None known.		

## Section 13 - Disposal considerations

Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.
Waste from residues / unused products	Dispose in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## Section 14 - Transport information

### DOT

UN number	UN3265
Proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (OXALIC ACID)
Transport hazard class(es)	8
Packing group	III
Special precautions for user	Not available.
Special provisions	IB3, T7, TP1, TP28
Packaging exemption	154
Packaging non bulk	203
Packaging bulk	241

### IATA

UN number	UN3265
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (OXALIC ACID)
Transport hazard class(es)	8
Packaging group	III
Environmental hazards	No.
ERG Code	8L
Special precautions for user	Not available.
Other Information	

### IMDG

UN number	UN3265
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (OXALIC ACID)
Transport hazard class(es)	8
Packaging group	III
Environmental hazards	No.
Marine pollutant	
EmS	F-A, S-B
Special precautions for user	Not available.

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code This substance/mixture is not intended to be transported in bulk.

### General Information

The transportation information provided represents the regulatory transport classification of the product without consideration to packaging, quantity, or modal restrictions and exceptions. It is the user's responsibility to determine the

# SAFETY DATA SHEET

appropriate packaging and modal requirements and/or limitations for the product quantity being shipped.

## Section 15 - Regulatory Information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)**

Components	Result	Comment
Oxalic Acid (CAS 6153-56-6)	1.0 %	One time export notification only.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)** Not listed.  
**CERCLA Hazardous Substance List (40 CFR 302.4)** Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

Hazard Categories	Immediate Hazard	Yes
	Delayed Hazard	No
	Fire Hazard	No
	Pressure Hazard	No
	Reactivity Hazard	No
<b>SARA 302 Extremely hazardous substance</b>		Not listed.
<b>SARA 311/312 Hazardous chemical</b>		Yes
<b>SARA 313 (TRI reporting)</b>		Not regulated.

**Other federal regulations**

<b>Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List</b>	Not regulated.
<b>Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)</b>	Not regulated.
<b>Safe Drinking Water Act (SDWA)</b>	Not regulated.
<b>Food and Drug Administration (FDA)</b>	Not regulated.

**US state regulations**

<b>US.Massachusetts RTK - Substance List</b>	Components Oxalic Acid (CAS 6153-56-6)
<b>US.New Jersey Worker and Community Right-to-Know Act</b>	Components Oxalic Acid (CAS 6153-56-6)
<b>US.Pennsylvania RTK - Hazardous Substances</b>	Components Oxalic Acid (CAS 6153-56-6)
<b>US.Rhode Island RTK</b>	Not regulated.
<b>US - California Proposition 65</b>	California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**International Inventories**

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

\*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## Section 16 - Other information, including date of preparation or last version

<b>Issue date</b>	5/14/2014
<b>Version #</b>	01
<b>Disclaimer</b>	The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.